

Round Bottom Flask With Bottom Outlet

SKU: 16.302.74

Product Description

Reaction vessel, round bottom flask, flat flange SCHMIZO with a groove, bottom outlet with discharge valve type SCHMIZO

See:

- Discharge Valve
- Seals and Holders for Flat Flange

Discharge Valve SCHMIZO

Please select your preferred version of the valve plug.

Side arm on request available with hose nozzle, spherical joint, GL- or SVL-thread a the end of the outlet pipe.
Alternative bore diameters are also available for the bottom outlet on request.

SCHMIZO Flat Flange

DN = Diameter nominal
All reactors are also available with a SCHOTT flange on request.

Size DN 200 is only available with SCHOTT-flange.

SCHMIZO AG
Grünmattstrasse 4, CH-4665 Oftringen
T +41(0)62 789 60 50 F +41(0)62 789 60 51
info@schmizo.ch www.schmizo.ch

Variations

SKU	Capacity ml	DN	IH mm	ID mm	Ventil Bohrung
16.342.96S	10000	200	360	279	20mm
16.342.98S	20000	200	420	345	20mm
16.302.74	500	60	150	105	10mm
16.302.81	1000	60	180	131	10mm
16.302.87	2000	60	210	166	10mm
16.312.81	1000	100	190	131	10mm
16.312.87	2000	100	220	166	10mm
16.312.89	3000	100	240	185	10mm
16.312.92	4000	100	260	206	10mm
16.312.94	5000	100	275	223	10mm
16.312.95	6000	100	290	236	10mm
16.312.96	10000	100	340	279	16mm
16.322.87	2000	120	220	166	10mm
16.322.89	3000	120	240	185	10mm
16.322.92	4000	120	260	206	10mm
16.322.94	5000	120	275	223	10mm
16.322.95	6000	150	290	236	10mm
16.322.96	10000	150	340	279	16mm

SCHMIZO AG
Grünmattstrasse 4, CH-4665 Oftringen
T +41(0)62 789 60 50 F +41(0)62 789 60 51
info@schmizo.ch www.schmizo.ch

SKU	Capacity ml	DN	IH mm	ID mm	Ventil Bohrung
16.332.89	3000	150	240	185	10mm
16.332.92	4000	150	260	206	10mm
16.332.94	5000	150	275	223	10mm
16.332.95	6000	150	290	236	10mm
16.332.96	10000	150	340	279	16mm

Customization

We would be happy to discuss with you the development of customer-specific functions, to meet your specific process requirements. Thanks to our technical knowledge and skills in manufacturing scientific glass devices, we can implement almost any requirement and ensure that the customized reactor features are both reliable and user-friendly.

SCHMIZO AG
Grünmattstrasse 4, CH-4665 Oftringen
T +41(0)62 789 60 50 F +41(0)62 789 60 51
info@schmizo.ch www.schmizo.ch